

# Package: **kwb.matomo** (via **r-universe**)

September 10, 2024

**Title** R Package for Matomo Reporting API

**Version** 0.0.0.9000

**Description** R Package for getting data from Matomo's Reporting API.

**License** MIT + file LICENSE

**URL** <https://github.com/KWB-R/kwb.matomo>

**BugReports** <https://github.com/KWB-R/kwb.matomo/issues>

**Encoding** UTF-8

**LazyData** true

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.1.0

**Suggests** covr, knitr, rmarkdown

**Imports** jsonlite, glue, data.table

**VignetteBuilder** knitr

**Repository** <https://kwb-r.r-universe.dev>

**RemoteUrl** <https://github.com/KWB-R/kwb.matomo>

**RemoteRef** HEAD

**RemoteSha** 81624189ab3114620d9594825299efb32fa5ee87

## Contents

get_pageurls . . . . .	2
set_matomo_config . . . . .	2

<b>Index</b>	<b>4</b>
--------------	----------

---

get_pageurls	<i>Get PageUrls</i>
--------------	---------------------

---

**Description**

Get PageUrls

**Usage**

```
get_pageurls(matomo_config = set_matomo_config())
```

**Arguments**

matomo\_config matomo configuration (default: [set\\_matomo\\_config](#))

**Value**

data frame pageurls and with Matomo indicators

**See Also**

<https://developer.matomo.org/api-reference/reporting-api>

---

set_matomo_config	<i>Set Matomo configuration</i>
-------------------	---------------------------------

---

**Description**

Set Matomo configuration

**Usage**

```
set_matomo_config(  
  url = Sys.getenv("MATOMO_URL"),  
  api_key = Sys.getenv("MATOMO_APIKEY"),  
  site_id = Sys.getenv("MATOMO_SITEID"),  
  format = "json",  
  date_min = "2018-06-05",  
  date_max = Sys.Date()  
)
```

**Arguments**

<code>url</code>	url to Matomo tracking (e.g. <code>https://matomo.example.com/index.php</code> ), default: <code>Sys.getenv("MATOMO_URL")</code>
<code>api_key</code>	Matomo tracking API key, default: <code>Sys.getenv("MATOMO_APIKEY")</code>
<code>site_id</code>	site id, default: <code>Sys.getenv("MATOMO_SITEID")</code>
<code>format</code>	export data format (default: "json")
<code>date_min</code>	first date (default: "2018-06-05", start of KWB-Matomo tracking)
<code>date_max</code>	last date (default: <code>Sys.Date()</code> )

**Value**

list with Matomo configuration

# Index

`get_pageurls`, [2](#)

`set_matomo_config`, [2](#), [2](#)